



Enterococcus hirae

DSM 3320

BACTERIA

(Example)

Name: Enterococcus hirae Farrow and Collins 1985

DSM No.: 3320

Strain designation: M 19

Other collection

no.

or WDCM no.:

ATCC 10541,CIP 58.55,NCIB 8192,WDCM 00011,NBRC 113010

Isolated from: unknown source

Country: country of origin unknown

Nagoya Protocol Restrictions:

There are NO known Nagoya Protocol restrictions for this strain.

History:

<- ATCC; ATCC 10541 <- U.S. Food and Drug Administration (FDA),

Washington, D.C., USA; M 19 (Streptococcus faecalis)

Cultivation conditions:

Medium 92, 37°C

or

Medium 693, 37°C

Incubation time: 1-2 days

Please follow special instructions: 'Cultivation of Streptococci

and Enterococci'

Complete DSMZ Media List

Summary and additional

information:

<- ATCC; ATCC 10541 <- U.S. Food and Drug Administration (FDA), Washington, D.C., USA; M 19 (*Streptococcus faecalis*). Unknown source. country of origin unknown. Murein: A11.31 (293). Name changed in January 1999 after re-identification. (Medium 92, incubation time: 1-2 days, candle jar, pH 7, 37°C, microaerobic or Medium 693, incubation time: 1-2 days, candle jar, pH 7, 37°C, microaerobic)

Literature:

90, 293, 738, 1562, 2982

Risk group:

2 (classification according to German TRBA)

Restrictions:

Act dealing with the prevention & control of infectious diseases in man (Infektionsschutzgesetz), Category A1

Supplied as:

Delivery form	Prices
Freeze Dried	100,- €
Active culture on request	240,- €
DNA	150,- €

Price Category for this culture: 1

Freight and handling charges will be added. See price list.

Note: Freight charges for Risk Group 2 microorganisms will apply.

Other cultures:

All DSMZ cultures of the species

Print data sheet

Add to Cart

Open Pricelist

Help Topics

FAQ →

Order & Delivery →

Safety →

Quality assurance →

Phenotypic information about Enterococcus hirae DSM 3320



Nomenclatural information about Enterococcus

